
# AGE AND AGEING

**VOLUME 24 1995** 

EDITOR

J. GRIMLEY EVANS



# Index of Authors

S = Supplement

ABDEL-RAHMAN TA, see Collins KJ. 485 ABRAHALL E. see Goodman M. S2P20

AGODOA LY, see Salive ME, 142 AHMED PR. see Harper N. S2P8

ALEXANDER NB. see Gilsing MG. 58 ALLARD I, see Sinclair AJ, S2P25

ALLEN SC, Competence thresholds for use of inhalers in people with dementia, S2P13

ALONSO J, see Ruigómez A, 113

AMAR K, The relationship between white matter low attenuation on brain CT and vascular risk factors: A memory clinic study, 411

AMAYO EO, see Lindley RI, 525

ANTILA K, see Luutonen S, 315 ANTÓ IM, see Ruigómez A. 113

APPOLLONIO I, Sensory impairments and mortality in an elderly community population: A six-year follow-up study, 30

ARDRON ME, see Dawson SL, S2P11

ARIE T. see Lillev IM. 346

ARRIBAS I. see Relea P. 303

ASHTON-MILLER JA, see Gilsing MG, 58 ASPRAY TJ, Health screening of the elderly-a rural African experience, S2P9

ATHERTON J, see Jack CIA, S2P12

AUSTIN CA, see Cooper MW, 254, S2P25; see also Lawson-Matthew PJ, 321, S2P18

BACH D, Reactivating occupational therapy: A method to improve cognitive performance in geriatric patients, 222

BACH M, see BACH D, 222; see also Nikolaus T, 257

BÄCKMAN L. see Hill RD. 440

BALDWIN RN, see Donald IP, 434

BALLARD C, see Saad K, 495

BANERJEE AK, see Harden SP, S2P26 BANNERIEE M. see Donald IP. 434

BARBERGER-GATEAU P, see Manciet G, 235

BARER DH, see Young L, S2P21

BARKER WH, International survey of the status of geriatric medicine, S2P17

BARKER WH, Stroke and hip fracture trends among persons ≥65 years of age 1965-90, S2P6

BARKHAM TMS, The respiratory presentation of urinary tract infection in older patients, S2P18

BAUTZ-HOLTER E, see Laake K, 393; see also Wyller TB, 398

BAYER AJ, see Sinclair AJ, S2P25

BEAN N, Habitus and hip fracture revisited: Skeletal size, strength and cognition rather than thinness? 481

BECKER-SCHNEIDER M, see Didier JM, 247 BELFIELD P, see Wanklyn P, 510, S2P10

Beloosesky Y, The importance of brain infarct size and location in predicting outcome after stroke, 515

Benbow SJ, Pituitary tumours in the elderly: 8 year experience of a neuroendocrine unit, S2P17

BENNETT D, see Davies I, 151

BENNETT G, see Vernon M, 177 BENNETT KM, see Bean N, 481

BHOWMICK BK, see Hasan M. S2P23, S2P26; see also Khanna PB, S2P15; see also Meara RJ, S2P22

BIENVENU I. see Bonnefov M. 37

BISARYA S. see Meara I. S2P22

BLAND R. see Thorogood SV. S2P19

BLISS MR, Preventing pressure sores in elderly patients: A comparison of seven mattress overlays, 297

BÖHMER F, see Bach D, 222

Boisson RC, see Bonnefov M. 37

BOLTON F, see Dawson SL, S2P11

BONNEFOY M, Implication of cytokines in the aggravation of malnutrition and hypercatabolism in elderly patients with severe pressure sores, 37

BOSANQUET N, see Franks PJ, 407

BOUTHIER F. see Moesch C. 464

BOWMAN AJ, Effects of aerobic exercise training and yoga on baroreflex sensitivity in healthy elderly subjects, S2P3

BOWMAN AJ, Effects of aerobic exercise training on cardiac chronotropic, inotropic and lymphocyte β-adrenergic responses in healthy elderly subjects, S2P4

Bravo G. Desrosiers I. 108, 402 BRAYNE C, see Chi LY, 382

BRIFFA I, see Gompertz P. 137

BROCKLEHURST J, Commentary: Geriatric day hospitals, 89

BRUNT S, see Skelly J, S2P19 BUCKS R. see Amar K. 411

BURSTIN A, see Beloosesky Y, 515

BUSBY WJ, see Campbell AJ, 204

CACHIANES G, see O'Mahony MS, S2P5

CAMPBELL AJ, Control over future health in old age: Characteristics of believers and sceptics, 204

CARABELLESE C, see Appollonio I, 30

CARPENTER GI. Casemix for the elderly inpatient: Resource Utilization Groups (RUGs) Validation Project, 5

CARPENTER GI, see Turner GF, 1

CASSIDY TP, Visuospatial neglect and digit discrepancy in stroke patients, S2P9

CASTLEDEN CM, see Gariballa SE, S2P20

CATANIA J, see Davies I, 151

CHANNER KS, see Lawson-Matthew PJ, 321, S2P3, S2P18

CHARMES J-P, see Moesch C, 464

CHI LY. Predictors of hospital contact by very elderly people: A pilot study from a cohort of people aged 75, 382

CHILVERS CED, see Lilley JM, 346 CHIN WF, see Fonda D, 283

CHRISTENSEN H, see Jorm AF, 389

CHRISTIE J, see Currie CT, S2P7

CLARKE SEM, see Pandita-Gunawardena ND, S2P4

CLAYTON RH, see Bowman AJ, S2P3 CLOSS SJ, see Currie CT, S2P7

COAKLEY D, see Hegarty V, S2P21

COAKLEY DP, see Murphy SM, 99

COLEMAN PG, Does the use of the Geriatric Depression Scale make redundant the need for separate measures of wellbeing on geriatrics wards? 416

COLLAS DM, see Szonyi G, 287

COLLINS KJ, Circadian body temperatures and the effects of a cold stress in elderly and young subjects, 485

CONNOLLY M. see Franks PI, 407

CONNOLLY MJ, Admission chest radiography (CXR) in

elderly patients admitted to hospital with acute severe asthma, S2P13

CONNOLLY MJ, Edentulousness—a risk factor for development of nosocomial chest infection (NCI) in the elderly, S2P21

CONNOLLY MJ, Inhaler technique of elderly patients: Comparison of metered-dose inhalers and large volume spacer devices, 190

CONNOLLY MJ, see Gibson HN, S2P12; see also Renwick DS, S2P13, S2P14; see also Zaidi NH, 267

COONEY C, Review: Diogenes Syndrome, 451

COOPER MW, Arterial oxygen saturation during upper gastrointestinal endoscopy in elderly patients: The role of endoscope diameter, 254

COOPER MW, Gastroscopy in the elderly: Endoscope size and oxygen desaturation, S2P25

COULON L, see Bonnefoy M, 37 COWAN RA, see Solanki T, 103 COX N, see Wanklyn P, 510, S2P10 CRAWFORD V, see Taggart H, 326

CREASEY T, see Thomas M, S2P24 CRITCHLEY D, see Fotherby MD, 25

Croxson SCM, Diabetes and cognitive impairment: A community-based study of elderly subjects, 421

CUNNINGHAM DA, see Smith WDF, S2P12

CURRIE CT, Edinburgh and Borders hip fracture audit: Report on first year's experience, S2P7

CURRIE CT, Resource implications of a pilot scheme of early supported discharge for elderly acute orthopaedic patients, S2P6

CURTIS S, see Leibovici D, 14

D'ASTOLI M, see Fonda D, 283

D'COSTA DF, The levodopa test in Parkinson's disease, 210

DARTIGUES JF, see Manciet G, 235

DAVENPORT RJ, Improving the recording of the clinical assessment of stroke patients using a clerking pro forma, 43 DAVIDO A. see Zureik M. 227

Davies ADM, Psychological aspects of cardiac cachexia in the elderly. Do eating disorders play a role? S2P20

Davies I, Age-associated alterations in thirst and arginine vasopressin in response to a water or sodium load, 151

DAVISON CM, see Cooper MW, 254, S2P25

Dawson SL, Stroke in UK residents originating from the Indian subcontinent, S2P11

DE WAZIERES B, see Didier JM, 247 DECAMPS A, see Manciet G, 235 DELAY R, see Taaffe DR, 329

DENNIS M, see Lindley RI, 525; see also Wellwood I, 519 DENNIS MS, see Davenport RJ, 43; see also Wellwood I, 54

DENT M, see Lawson-Matthew PJ, 321, S2P18

Desrosiers J, Reliability of the Revised Functional Autonomy Measurement System (SMAF) for epidemiological research, 402

Desrosiers J, Upper-extremity motor co-ordination of healthy elderly people, 108

DICKINSON E, Commentary: Cochrane Collaboration in health care of elderly people, 265

DICKSON D, see Franks PJ, 490

DIDIER JM, Function of the oxidative metabolism of phagocytes in elderly people: Relationship to nutritional and inflammatory status, 247

DING YY, see Szonyi G, 287

DOBSON R, see O'Mahoney PG, S2P10

Donald IP, Gloucester Hospital-at-Home: A randomized controlled trial, 434

DONNELLY J, see Hamdy RC, S2P7 DUBUC N, see Desrosiers J, 402 DUPOND JL, see Didier JM, 247 DUTIL É, Desrosiers J, 108

EASTWOOD C, see Reich S, S2P27 EASTWOOD R, see Skelly J, S2P19 EBLY EM, see Hogan DB, 375

EBRAHIM S, see Gompertz P, 137; see also Silveira E, 474

ENAM SJ, see Hasan M, S2P26
ERICSON WA, see Gilsing MG, 58
ERRKO M, see Luutonen S, 315
EVANS CC, see Jack CIA, S2P12
EVANS L, see Goodman M, S2P20
EVANS ME, see Hammond MF, S2P16

FAIRWEATHER DS, see Morse RE, S2P5 FEIGHERY CS, see Murphy SM, 99

FERNANDO MU, see White AD, S1P23, S2P25

FITZPATRICK R, see Jenkinson C, 505

FLINT A, see Skelly J, S2P19

FONDA D, Sustained improvement of subjective quality of life in older community-dwelling people after treatment of urinary incontinence. 283

FORD GA, see Bowman AJ, S2P3, S2P4 FORMAN WM, see Sridharan GV, 21 FORSTER A, see Gladman J, 49

FOTHERBY MD, Effect of hospitalization on conventional and 24-hour blood pressure, 25

FOTHERBY MD, Effect of longterm potassium supplementation on ambulatory blood pressure in elderly hypertensives, S2P17

FOTHERBY MD, see Gariballa SE, S2P20

Foy P, see Benbow SJ, S2P17

Franks PJ, Factors associated with healing leg ulceration with high compression, 407

Franks PJ, Risk factors for leg ulcer recurrence: A randomized trial of two types of compression stocking, 490 FRATTOLA L, see Appollonio I, 30

FRENCH FH, Cost analysis of fracture of the neck of femur,

FREY BM, see Mühlethaler R, 193 FRÜHWALD D, see Bach D, 222 FUJIWARA H, see Nakanishi N, 334 FUKUCHI Y, see Teramoto S, 278

GARIBALLA SE, Serum potassium following stroke, S2P20 GAYNOR C, Efficacy of single dose therapy versus three day course of trimethoprim in the treatment of uncomplicated urinary tract infections in the elderly, S2P15

GEORGE G, see O'Mahony MS, S2P5

GERRARD J, see O'Neill D, 242

Gibson HN, Slow vital capacity in assessment of reversibility of airways obstruction in elderly patients, S2P12

GIBSON HN, see Connolly MJ, S2P13

GILSING MG, Association of age with the threshold for detecting ankle inversion and eversion in upright stance, 58 GLADMAN J, Hospital- and home-based rehabilitation after discharge from hospital for stroke patients: Analysis of two

discharge from hospital for stroke patients: Analysis of two trials, 49

Gompertz P, How useful are non-random comparisons of outcomes and quality of care in purchasing hospital stroke

services? 137 González-Riola J, see Hernández ER, 447 Goodman M, A tale of two cities, S2P20

GOODWIN J, see Collins KJ, 485

GOSNEY JR, see Gosney MA, S2P23

GOSNEY M, see Jack CIA, S2P12

GOSNEY MA, Upper gastrointestinal haemorrhage as a factor in the death of elderly patients, S2P23

GRAHAM C, see Saad K, 495

Grant DJ, Is previous hyperthyroidism still a risk factor for osteoporosis in postmenopausal women? S2P7

GRAY CS, see Cassidy TP, S2P9

GRAY R, Lower urinary tract dysfunction in Parkinson's disease: Changes relate to age and not disease, 499

Gray RP, Review: Urinary tract infection in elderly people— Time to review management? 341

GREENHALGH RM, see Franks PJ, 407 GREENHALL R, see Jenkinson C, 505

GRILC B, see Bach D, 222

GRIMLEY EVANS J, Commentary: Evidence-based and evidence-biased medicine, 461

GRIMLEY EVANS J, see Lamb SE, 308 GRINBLAT J, see Beloosesky Y, 515 GURALNIK JM, see Salive ME, 142

HAIGH RA, see Thomas M, S2P24 HALL R, see Pascual JA, S2P23 HAMBLETON D, see Shinton RA, S2P11

HAMDY RC, The effects of strokes associated with muscle weakness on the bone mineral content of the affected side, S2P7

HAMID W, see Cooney C, 451

Hammond MF, A placebo-controlled antidepressant trial in the physically ill elderly, S2P16

HARDEN SP, The incidence of proximal leg vein thrombosis in an unselected population of acute geriatric admissions, S2P26

HARPER N, Success of cyclical etidronate calcium therapy in older osteoporotic subjects, S2P8

HARTMAN J, see Saad K, 495

HASAN M, Aspirin mimics ageing by decreasing erythrocyte membrane fluidity in subjects with stroke: A possible therapeutic or detrimental effect, S2P26

HASAN M, Neuromedical complications observed during inpatient stroke rehabilitation, S2P23

HAYES V, The SF-36 Health Survey Questionnaire: Is it suitable for use with older adults? 120

HÉBERT R, see Desrosiers J, 108, 402

HEFFER C, see Jack CIA, S2P12 HEGARTY DM, see Murphy SM, 99

HEGARTY V, Differential effects of haemoglobin concentration, red blood cell count and haematocrit on blood pressure, S2P3

HEGARTY V, Serological diagnosis of Moraxella catarrhalis lower respiratory tract infection, S2P21

HEIKKINEN E, see Laukkanen P, 468

HENDERSON AS, see Jorm AF, 389

Hernandez ER, Evaluation of bone density with peripheral quantitative computed tomography in healthy premenopausal, perimenopausal, and postmenopausal women, 447 HIGGINSON I, see Ramsay M, 73

HILL RD, The relationship between the Mini-Mental State Examination and cognitive functioning in normal elderly adults: A componential analysis, 440

HOBSON P, see Meara J, S2P22; see also Meara RJ, S2P22 HOGAN DB, Primitive reflexes and dementia: Results from the Canadian Study of Health and Ageing, 375

HOPPER AH, see Harden SP, S2P26; see also Reich S, S2P27 HORWATH CC, see Campbell AJ, 204

HUDGINS L, see Hamdy RC, S2P7

Hughes EA, see Solanki T, 103 Hyatt RH, see Solanki T, 103 Hyland CM, see Gaynor C, S2P15 Hyland M, see Reardon M, S2P14 Hyman N, see Jenkinson C, 505

IONESCU A, see Lawson-Matthew PJ, S2P3

JACK CIA, Aspiration in stroke—is videofluoroscopy (VF) the gold standard? S2P12

Jackson SHD, see Kinirons MT, S2P6; see also Lee DR, 91; see also Puthrasingham S, S2P24

JACKSON SK, see Hasan M, S2P26 IAGGER C, see Croxson SCM, 421

JAMES OFW, see Aspray TJ, S2P9; see also O'Mahoney PG, S2P10

JENKINSON C, Self-reported functioning and well-being in patients with Parkinson's disease: Comparison of the Short-Form Health Survey (SF-36) and the Parkinson's Disease Questionnaire (PDQ-39), 505

JOHANSEN A, Senior house officer training: The British Geriatrics Society training committee recommendations as audit standard, S2P16

JOHNSTONE R, see McMurdo MET, 425

JONES A, see Teale C, 276

JONES CA, see Salive ME, 142

JORM AF, Factors associated with the wish to die in elderly people, 389

Kalra L, The changing requirements of CT scanning in stroke, S2P18

KALRA L, The impact of a stroke unit on medical complications in stroke rehabilitation, S2P10

KASSAB J, see Khanna PB, S2P15

KAUPPINEN M, see Laukkanen P, 468

KEANE C, see Kyne L, S2P17

KEARNEY MT, see Teale C, 276 KELLY J, see Hegarty V, S2P21

KEMM JR, see Solanki T, 103

KHANNA PB, Coagulation factors in acute stroke and transient ischaemic attacks, S2P15

KHAW K-T, see Hegarty V, S2P3; see also May H, 217; see also Scragg R, 271; see also Woodhouse PR, S2P19

KING D, see Davies ADM, S2P20 KING SC, see Zaidi NH, 267

KINIRONS M, see Stewart K, S2P8

KINIRONS MT, Elderly volunteers' opinions and attitudes to clinical research, S2P6

KIRKWOOD TBL, Conference Report: The biological basis of ageing: The Medical Research Council/Research into Ageing Workshop: 6 October 1993, 167

KITCHIN N, see Lockington TJ, S2P4

KLIPSTEIN K, see Potter J, 131

KORTEN AE, see Jorm AF, 389

KURIAN M, see Saad K, 495

KYNE L, The elderly and hospital-acquired diarrhoea: A high-risk group, S2P17

LAAKE K, The Barthel ADL Index: Factor structure depends upon the category of patient, 393

LAAKE P, see Laake K, 393

LAGAAY AM, see van Goor LP, 536

Lamb SE, Mobility after proximal femoral fracture: The relevance of leg extensor power, postural sway and other factors, 308

LANG T, see Zureik M, 227

LANGHORNE P. What is a stroke unit? A survey of service characteristics in the randomised trials, S2P11

LATAPIE JL, see Manciet G, 235 LATAPIE MJ, see Manciet G, 235

LAUKKANEN P. Muscle strength and mobility as predictors of survival in 75-84-year-old people, 468

LAVAN JN, see O'Keeffe ST, S2P16, S2P5

LAWSON-MATTHEW PJ, Improved heart rate control and effort tolerance using xamoterol in atrial fibrillation. S2P18

LAWSON-MATTHEW PJ, Success and maintenance of cardioversion from atrial fibrillation in the elderly, S2P3

LAWSON-MATTHEW PI. Xamoterol improves the control of chronic atrial fibrillation in elderly patients, 321

LEATHERBARROW B. see Sridharan GV. 21

LEE DR, Twenty-four-hour ambulatory blood pressure monitoring in healthy elderly people: Reference values, 91 LEE S-G, see Gilsing MG, 58

LEHMANN AB, see Bean N, 481

LEIBOVICI D, The application of disability data from epidemiological surveys to the development of indicators of service needs for dependent elderly people, 14

LEROUX-ROBERT C. see Moesch C. 464 LETENNEUR L, see Manciet G, 235

LEVY A. see Zureik M. 227 LEWIS S, see Cassidy TP, S2P9 LEWIS T. see Amar K. 411

LILLEY JM, Special Review: Accidents involving older people: A review of the literature, 346

LINDLEY RI, Hospital services for patients with acute stroke in the United Kingdom: The Stroke Association Survey of consultant opinion, 525

LOCKINGTON TJ, Diabetes and cardiac autonomic function: Age-correction is important, S2P4

LOCKINGTON TJ, Multidisciplinary goal setting in inpatient rehabilitation, S2P22

LOMBRAIL P, see Zureik M, 227

LUUTONEN S, Haemodynamic response to head-up tilt in elderly hypertensives and diabetics, 315

LYE M, see Hammond MF, S2P16; see also Jack CIA, S2P12

MACFARLANE IA, see Benbow SJ, S2P17 MACKINNON AJ, see Jorm AF, 389

MACKNIGHT C, A hierarchical assessment of balance and mobility, 126

MacMahon DG, see Thorogood SV, S2P19

MAGNI E, see Appollonio I, 30

MAIN A, see Carpenter GI, 5; see also Turner GF, 1

MALONE-LEE J, see Gray R, 499; see also Gray RP, 341

MALONE-LEE JG, see Szonyi G, 287

MANCIET G, The PAQUID survey and correlates of subclinical hypothyroidism in elderly community residents in the south-west of France, 235

MARCUS R, see Taaffe DR, 329 MARSHALL J, see Lindley RI, 525

MARTIN FC, Audit of standards in NHS continuing care,

MARTIN FC, see Barkham TMS, S2P18 MASKELL GF, see Thorogood SV, S2P19

MASKREY V, see Kinirons MT, S2P6

MAY H, Self-reported tooth loss and bone mineral density in older men and women, 217

MAY H, see Hegarty V, S2P3 MAYBERRY JF, see Nair P, 180 McClaran J, see Robbins S, 67 McCollum CN, see Franks PJ, 407

McCord JF, see Connolly MJ, S2P21

McCoy I, see Goodman M. S2P20

McGregor K, see Currie CT, S2P6

McHugh P. see Lawson-Matthew PI. S2P3

McIntyre AS, see O'Mahony D, 522

McLean KA, see Davies I, 151; see also Lawson-Matthew PJ, 321, S2P18

McMurdo MET. A randomized controlled trial of a home exercise programme for elderly people with poor mobility,

McMurdo MET, see Grant DJ, S2P7

McTiffin L, see Collins KI, 485

MEARA I. How big is the pool of symptomatic but clinically undiagnosed parkinsonism? S2P22

MEARA RI. How effective are the interventions of a specialist movement disorder clinic? S2P22

MEARA RJ, see Hasan M, S2P23

MEDCALF P, Further evidence for inheritance factors in the development of Parkinson' disease, S2P14

MEINDERS AE, see van Goor LP, 536 MINDER CE, see Mühlethaler R, 193

MOESCH C, Calcium oxalate crystalluria in elderly patients and treatment with naftidrofuryl oxalate, 464

MOFFATT CJ, see Franks PJ, 407, 490

Mole PA, see Grant DI, S2P7 MOORE S, see Hamdy RC, S2P7

MOORE-SMITH B. see D'Costa DF. 210

MORAN A, see Kyne L, S2P17 MORGAN M, see Haves V, 120

Morris I, see Haves V. 120

Morse RE, Changes in diurnal urine production with age: A cross-sectional study of women, S2P5

Morse RE, see Lamb SE, 308 MUERS MF, see Teale C, 276

MÜHLETHALER R. The prognostic significance of proteinenergy malnutrition in geriatric patients, 193

MULLEE MA, see Coleman PG, 416

MULLER MT, Active euthanasia and physician-assisted suicide in Dutch nursing homes: Patients' characteristics, 429

MULLOOLY JP, see Barker WH, S2P6

MURPHY S, see Hegarty V, S2P21; see also May H, 217; see also Scragg R, 271

MURPHY SM, Tetanus immunity in elderly people, 99

MURRAY A, see Bowman AJ, S2P3

MUTCH W, see Meara J, S2P22

NAIR P, The compulsory removal of elderly people in England and Wales under Section 47 of the National Assistance Act and its 1951 Amendment: A survey of its implementation in England and Wales in 1988 and 1989,

NAKANISHI N, The association of health management with the health of elderly people, 334

NELSON ML, see Puthrasingham S, S2P24

NICOLSON A, Pressure sore prevention in practice, S2P24 NIKOLAUS T, Innovations: The Timed Test of Money Counting: A short physical performance test for manual dexterity and cognitive capacity, 257

O'CONNOR DW, see Chi LY, 382

O'KEEFFE ST, A comparison of subcutaneous and intravenous fluids in confused elderly patients, S2P5

O'KEEFFE ST, A model for predicting delirium in elderly patients, S2P16

O'MAHONY D, For Debate: Artificial feeding for elderly patients after stroke, 522

O'MAHONY MS, The monocyte as a model for studying drug metabolism and aging: The identification of specific cytochrome P450 enzymes present in monocytes, S2P5

O'MAHONY PG, 'Have you ever had a stroke?' is a sensitive and specific screening question for assessing stroke prevalence, S2P10

O'NEILL D, Variability in scoring the Hachinski Ischaemic Score, 242

O'NEILL D. see Kyne L. S2P17

O'NEILL PA, see Davies I, 151; see also Toogood AA, S2P9; see also Zaidi NH, 267

OATES A, Arm size and blood pressure measurement in elderly patients, S2P15

OLDROYD MI, see Franks PJ, 407, 490

OSTER P, see Nikolaus T, 257

PAHOR M, see Salive ME, 142 PALMER CR, see Parker MJ, 96

Pandita-Gunawardena ND, Ambulatory blood pressure changes and effect on cerebral perfusion in amlodipine treated elderly hypertensives, S2P4

PARK C, see Zaidi NH, 267

PARKER MJ, Prediction of rehabilitation after hip fracture, 96

PARKER SG, see Gariballa SE, S2P20

Pascual JA, Long-term functional consequences of cardiac surgery involving cardio-pulmonary bypass in elderly vs young patients, S2P23

PATERSON CR, see Grant DJ, S2P7 PATERSON DH, see Smith WDF, S2P12

PATTERSON CJ, Influence of written information on patients' knowledge of their diagnosis, S2P8

PATTERSON CJ, see Teale C, 276 PETO V, see Jenkinson C, 505

PETTERSEN KI, Age-related discrimination in the use of fibrinolytic therapy in acute myocardial infarction in Norway, 198

PHILLIPS J, see Currie CT, S2P7
PHILLIPS PA, see D'Costa DF, 210
PHILP I, see Coleman PG, 416
PICKETT T, see Harden SP, S2P26
POLLITT PA, see Chi LY, 382

PORTER RW, see French FH, 185

POTTER J, The nutritional status and clinical course of acute admissions to a geriatric unit, 131

POTTER JF, see Fotherby MD, 25, S2P17 POULIN MJ, see Smith WDF, S2P12

POUND P, see Gompertz P, 137 PRENTICE A, see Aspray TJ, S2P9

PUTHRASINGHAM S, Orthostatic oedema in the elderly—does frusemide work? S2P24

RÄIHÄ I, see Luutonen S, 315 RAJALA T, see Luutonen S, 315

RAMSAY M, Review: Measures to determine the outcome of community services for people with dementia, 73

RANHOFF AH, see Laake K, 393 READER R, see May H, 217

REARDON M, Significant aortic stenosis in elderly patients with basal systolic murmurs, S2P14

REARDON M, see Gaynor C, S2P15

REICH S, Clinical experience and discharge decision making in occupational therapy, S2P27

REILLY JJ, see Potter J, 131

Relea P, Zinc, biochemical markers of nutrition, and type I osteoporosis, 303

RENWICK DS, Respiratory symptoms in older adults: The effects of age and smoking habit, S2P13

RENWICK DS, The relationship between pulmonary function, IgE and eosinophils in older adults. S2P14

RENWICK DS, see Connolly MJ, S2P13

REVILLA M, see Hernández ER, 447; see also Relea P, 303

RIBBE MW, see Muller MT, 429
RICHARDS VA, see Davies ADM, S2P20

RICO H, see Hernández ER, 447; see also Relea P, 303

RIPOLL E, see Relea P. 303

RITCHIE K, see Leibovici D, 14

ROBBINS S, Proprioception and stability: Foot position awareness as a function of age and footwear, 67

ROBERTS M, see Potter J, 131 ROBERTS S, see Meara RJ, S2P22

ROBERTSON IH, see Cassidy TP, S2P9 ROBERTSON MC, see Campbell AJ, 204

ROBINSON TG, see Gariballa SE, S2P20

ROCHON P, see Dickinson E, 265 ROCKWOOD K, see MacKnight C, 126

ROCKWOOD K, see MacKnight C, 126 RODGERS H, see O'Mahoney PG, S2P10

ROOMI J, see Gibson HN, S2P12 ROOTS P, see Kalra L, S2P10

ROPER TA, The use of deaf-aid communicators in a Salford hospital: A failure of communication? 160

Rowe J, see Goodman M, S2P20

RUIGóMEZ A, Relationship of health behaviours to five-year mortality in an elderly cohort, 113

RUOPPILA I, see Ruuskanen JM, 292

RUUSKANEN JM, Physical activity and psychological wellbeing among people aged 65 to 84 years, 292

Rys L, see Bonnefov M, 37

SAAD K, Coping by the carers of dementia sufferers, 495 SALIVE ME, Serum creatinine levels in older adults: Relation-

ship with health status and medications, 142

SANDERCOCK PAG, see Lindley RI, 525 SANGHERA S, see Pandita-Gunawardena ND, S2P4

Schlierf G, see Nikolaus T, 257

SCHMUCKER DL, see O'Mahony MS, S2P5

SCHULTZ AB, see Gilsing MG, 58 Scott A, see Oates A, S2P15

SCOTT M, see Amar K, 411

SCOTT R, see Jorm AF, 389; see also Nakanishi N, 334

SCOTT T, see Hegarty V, S2P21

SCRAGG R, Life-style factors associated with winter serum 25hydroxyvitamin D levels in elderly adults, 271

SECO-DURBAN C, see Hernández ER, 447

SEILLES E, see Didier JM, 247

SHAH IU, see White AD, S2P25

SHALET SM, see Toogood AA, S2P9

SHARP EJ, see Franks PJ, 490

SHAW D, see Benbow SJ, S2P17

SHEEHAN LJ, see D'Costa DF, 210

SHINTON RA, Prevention of stroke in winter: Effects of central heating and remaining indoors, S2P11

SIDDIQI MA, see Harper N, S2P8

SILVEIRA E, Mental health and health status of elderly Bengalis and Somalis in London, 474

SINCLAIR AJ, The institutionalised diabetic: Diseased, disabled and disadvantaged, S2P25

SINCLAIR AJ, see Hasan M, S2P26

Skelly J, Treatment of urinary incontinence in dementia using low dose oxybutynin chloride, S2P19

SMITH HA, see Zaidi NH, 267

SMITH WDF, Ventilatory responses to sustained isocapnic hypoxia in the eighth decade, S2P12

SMITHARD D, see Martin FC, S2P26

SOLANKI T. Are elderly Asians in Britain at a high risk of Vitamin D deficiency and osteomalacia? 103

SOURANDER L. see Luutonen S. 315 SPECHT-LEIBLE N, see Nikolaus T, 257

SRIDHARAN GV, A community survey of ptosis of the eyelid and pupil size of elderly people, 21

STANNERS AJ, see Teale C, 276

STERN G, see Gray C, 499

STEWART K, Discussing resuscitation decisions with most elderly patients is unnecessary, S2P8

STONE MD, see Johansen A, S2P16 STREIFLER JY, see Beloosesky Y, 515

STUCK AE, see Mühlethaler R. 193 SUNDSTRÖM G, Commentary: Ageing is riskier than it looks,

373 SUPPIAH A, see Gosney MA, S2P23

SURMON D. see O'Neill D. 242 SVEEN U. see Laake K. 393; see also Wyller TB, 398

SWIFT CG, see Kinirons MT, S2P6; see also Lee DR, 91; see also Puthrasingham S, S2P24

Szonyi G. Oxybutynin with bladder retraining for detrusor instability in elderly people: A randomized controlled trial,

TAAFFE DR. Maximal muscle strength of elderly women is not influenced by oestrogen status, 329

TAGGART H, Reduced bone density of the hip in elderly patients with Parkinson's disease, 326

TAK PP, see van Goor LP, 536

TAKABAYASHI H, see Nakanishi N, 334 TAKAMORI Y, see Nakanishi N, 334

TAKASHIMA Y, see Nakanishi N. 334

TALLIS RC, see Sridharan GV, 21

TATARA K, see Nakanishi N, 334

TAYLOR PM, see Connolly MJ, S2P13

TEALE C, Community survey of home nebulizer technique by elderly people, 276

TEALE C, see Patterson CJ, S2P8

TERAMOTO S, Improvements in exercise capacity and dyspnoea by inhaled anticholinergic drug in elderly patients, with chronic obstructive pulmonary disease, 278 THE CASEMIX FOR THE ELDERLY INPATIENT WORKING

GROUP, see Carpenter GI, 5

THOMAS M, Abdominal computed tomography (ACT)-is medical supervision necessary? S2P24

THOMSON RG, see O'Mahoney PG, S2P10 THOROGOOD SV, Investigation of the colon by computed

tomography in elderly patients, S2P19 TIERNEY AJ. Review: Readmission of elderly patients to hospital, 163

TODD CJ, see Chi LY, 382

TOOGOOD AA, Growth hormone (GH) deficiency in the elderly with pituitary disease, S2P9

TORGERSON DJ, see French FH, 185

TRABUCCHI M, see Appollonio I, 30

TRAN B, see Zureik M, 227 TRAN J, see Jack CIA, S2P12

TROUILLET J-L, see Zureik M, 227

TURNER GF, Commentary: Casemix, resource use and geriatric medicine in England and Wales, 1

TURNER GF, see Carpenter GI, 5

TWOMEY C, see Gaynor C, S2P15; see also Reardon M, S2P14

VAN DEN BOSCH CG, see Gilsing MG, 58

VAN DER WAL G. see Muller MT. 429

van Eijk JThM, see Muller MT, 429

VAN GOOR LP. Review: Cobalamin deficiency and mental impairment in elderly people, 536

VERNON M. Commentary: Elder abuse: The case for greater involvement of geriatricians, 177

VILLA LF, see Relea P. 303

VILLA ML, see Taaffe DR, 329

VUITTON DA. see Didier IM. 247

WAGG A. see Stewart K. S2P8

WAKED E, see Robbins S, 67

WALLACE RB, see Salive ME, 142

WALSH IB, see Hegarty V, S2P21; see also Murphy SM, 99 WANKLYN P, Outcome in patients who require a gastrostomy

after stroke, 510

WANKLYN P, Percutaneous gastrostomy after stroke, S2P10

WARLOW C, see Wellwood I, 519

WARLOW CP, see Davenport RJ, 43; see also Lindley RI, 525; see also Wellwood I, 54

WEAVER LT, see Aspray TJ, S2P9

Wellwood I. A comparison of the Barthel Index and the OPCS disability instrument used to measure outcome after acute stroke, 54

Wellwood I, Patients' and carers' satisfaction with acute stroke management, 519

WHALEN K, see Hamdy RC, S2P7

WHELAN E, see Davies ADM, S2P20

WHITE AD, Factors influencing readmissions to a department of medicine for the elderly, S2P25

WILCOCK G, see Amar K, 411; see also Saad K, 495

WILCOCK GK, see O'Neill D, 242

WILLIAMS D, The relationship between age and cutaneous aryl hydrocarbon hydroxylase (AHH) activity, 213

WILLIAMS Y, see Murphy SM, 99 WILSON K, see Kalra L, S2P18 WINGET C, see Ramsay M, 73

Woiski MD, see van Goor LP, 536 WOLFE C, see Hayes V, 120

WOLFF SP, see Kirkwood TBL, 167 WOODHOUSE K, see Williams D, 213;

WOODHOUSE KW, see Johansen A, S2P16; see also O'Mahony MS, S2P5; see also Pascual JA, S2P23

WOODHOUSE PR, Plasminogen activator inhibitor-1: Another ischaemic heart disease risk factor related to Vitamin C status, S2P19

WOODWARD M, see Fonda D, 283

WORTH A, see Tierney AI, 163

WYLLER TB, The Barthel ADL Index one year after stroke: Comparison between relatives' and occupational therapist's scores, 398

WYLLER TB, see Laake K, 393

Young J, see Gladman J, 49

Young L, Illness severity in elderly medical patients, S2P21

ZAIDI NH, Oxygen desaturation on swallowing as a potential marker of aspiration in acute stroke, 267

ZUREIK M, Returning home after acute hospitalization in two French teaching hospitals: Predictive value of patients' and relatives' wishes, 227

# Subject index

S = Supplement

## **Abdominal CT scans**

unsupervised, assessment of outcome, lower gastro-intestinal tract S2P24

#### Aherdeen

Royal Infirmary, cost analysis of fracture of neck of femur, elderly patients, UK 185

#### Accident

road accidents/falls/burns involving elderly people, review of literature 346

#### Acute admissions

geriatric unit, relationship between nutritional status/

#### ADL

effect of movement disorder clinic, Parkinson's disease S2P22

#### β-Adrenergic response

cardiac, effect of aerobic exercise/yoga in healthy elderly subjects S2P4

#### Age

association with foot position awareness, proprioception/stability 67

association with respiratory symptoms/chest infection in older patients with urinary tract infection S2P18

association with threshold for detection of ankle inversion/ eversion in upright stance, proprioception 58

effect on readmissions to department of geriatric medicine, illness type/place of discharge/length of stay, comparison S2P25

effect on respiratory symptoms in older adults S2P13

relationship with changes in lower urinary tract dysfunction in Parkinson's disease 499

relationship with cutaneous aryl hydrocarbon hydroxylase activity, Wistar and Brown Norwegian rats 213

relationship with diabetes duration/cardiac autonomic function \$2P4

relationship with diurnal variation in urine production, nocturia S2P5

significance in mobility after proximal femoral fracture 308

## Ageing

drug metabolism, monocyte model, identification of cytochrome P450 enzymes, aryl hydrocarbon hydroxylase induction S2P5

erythrocyte membrane fluidity, aspirin treatment, stroke patients S2P25

#### risk of 373 Alzheimer's disease

central role of inclusion bodies, Medical Research Council/ Research into Ageing Workshop 170

#### Amlodipine treatment

elderly hypertensives, ambulatory 24-hour blood pressure changes, effect on cerebral perfusion S2P4

#### Ankle

proprioception, inversion/eversion in upright stance, threshold for detection, association with age 58

#### Anticholinergic drugs

inhaled, oxitropium bromide, exercise capacity/dyspnoea, improvements in elderly patients with chronic obstructive pulmonary disease 278

#### Antidepressants

placebo-controlled trial in physically ill elderly people, fluoxetine S2P16

## Aortic stenosis

significant, high prevalence in elderly patients, basal systolic murmurs S2P14

#### APACHE score

measurement of illness severity in elderly medical patients, comparison with semi-formalized subjective method/problem-list-based method S2P21

#### Apontosis

programmed apoptosis, Medical Research Council/ Research into Ageing Workshop 169

## Arginine vasopressin

age-associated changes in response to water load/sodium load 151

## Artificial feeding

naso-gastric tube/percutaneous endoscopically placed gastroscopy for elderly people after stroke 533

## Aryl hydrocarbon hydroxylase

cutaneous activity, relationship with age, Wistar and Brown Norwegian rats 213

induction, identification of cytochrome P450 enzymes, drug metabolism/ageing, monocyte model S2P5

#### Asiar

elderly, high risk of vitamin D deficiency/osteomalacia, Britain 103

stroke presentation/treatment/outcome, comparison with Caucasians, UK S2P11

#### Aspiration

oxygen desaturation on swallowing, potential marker, acute stroke 267

stroke, assessment by videofluoroscopy/water-swallowing test, comparison S2P12

## Aspirin

erythrocyte membrane fluidity, ageing, stroke patients S2P25

## Asthma

acute severe, assessment of hospital admission chest radiograph in elderly patients S2P13

relationship between immunoglobulin E/eosinophils/pulmonary function in older adults S2P14

## **Atrial fibrillation**

chronic, improvement of control, xamoterol, comparison with xamoterol plus digoxin 321

improvement of heart rate control/effort tolerance, digitoxin/xamoterol S2P18

in the elderly, success/maintenance of cardioversion, clinical/echocardiogram assessment of suitability S2P3

#### Australia

wish to die in elderly people, association with physical health/mental health/sociodemographic factors, epidemiological survey 389

#### **Autonomic function**

cardiac, relationship with diabetes duration/age S2P4

#### Balance

Hierarchical Assessment of Balance and Mobility, validity/reliability/responsiveness to change, comparison with other analytical tools 126

#### Bandaging

high compression, healing of leg ulceration, associated factors 407

#### Barium enema

replacement by CT scans, investigation of colon in elderly patients S2P19

#### Baroreflex sensitivity

effect of aerobic exercise/yoga in healthy elderly subjects S2P3

#### **Barthel ADL Index**

one year after stroke, comparison between scores of relatives/occupational therapist 398

validity/reliability for geriatric/stroke/hip fracture patients 393

#### **Barthel Index**

measurement of disability, acute stroke, comparison with OPCS disability instrument 54

#### Basal systolic murmurs

high prevalence of significant aortic stenosis in elderly patients S2P14

#### Bengalis

elderly, mental health/health status, London, UK 474

#### Binswanger's disease

vascular dementia, CT and MRI white matter periventricular changes, letter 454

#### Birmingham

performance of consultants, comparison with Liverpool, audit engine, UK S2P20

## Bladder retraining

with oxybutynin, efficacy in elderly ambulant patients with detrusor instability, randomized controlled trial 287

## **Blood** pressure

24-hour ambulatory monitoring, healthy elderly people, reference values, effect of data editing 91

ambulatory, effect of long-term potassium supplementation in elderly hypertensives S2P17

ambulatory 24-hour, effect on cerebral perfusion, elderly hypertensives with amlodipine treatment S2P4

control in elderly subjects with hypertension/diabetes, haemodynamic response to head-up tilt 315

conventional/24-hour, effect of hospitalization, comparison of reproducibility 25

effect of haemoglobin concentration/red blood cell count/ haematocrit S2P3

measurement in elderly patients, optimum cuff size S2P15 relationship with white matter low attenuation, cognitive impairment Memory Disorders Clinic 411

## **Body temperatures**

circadian, in elderly/young patients, comparison, effects of cold stress 485

## Bone

osteoporosis, Medical Research Council/Research into Ageing Workshop 170

#### Bone density

improvement in osteoporosis, cyclical etidronate/calcium therapy, over-75-year-olds S2P8

measurement in healthy premenopausal, perimenopausal and postmenopausal women, peripheral quantitative computed tomography 447

## Bone mass

correlation with zinc, postmenopausal type 1 osteoporosis 303

unilateral stroke associated with muscle weakness, affected side S2P7

#### Bone mineral density

at hip/spine in older men and women, relationship with tooth loss 217

of hip, reduced in elderly patients with Parkinson's disease 326

#### Borders region

hip fracture audit, one-year follow-up, Early Supported Discharge Scheme, Scotland, UK S2P7

#### **Bradburn Affect Balance Scale**

patient profiles, use on geriatric wards, comparison with Geriatric Depression Scale 416

#### Bradford

stroke patients, hospital/home-based rehabilitation after discharge from hospital. UK 49

#### Brain infarct size

importance in predicting outcome after stroke, measurement by CT scans 515

#### Britain

elderly Asians, high risk of vitamin D deficiency/osteomalacia 103

## **British Geriatrics Society**

training recommendations for senior house officers, audit standard, assessment of effectiveness S2P16

#### **Bronchodilator** response

assessment of reversibility of chronic airways obstruction in elderly patients, slow vital capacity S2P12

#### Rurns

involving elderly people, review of literature 346

#### Calcium

etidronate, cyclical osteoporosis therapy, improvement in bone density, over-75-year-olds S2P8

#### Calcium oxalate monohydrate

crystalluria in elderly patients, treatment with naftidrofuryl oxalate. France 464

## Canadian Study of Health and Aging

primitive reflexes, dementia 375

#### Cardiac cachexia

in the elderly, role of eating disorders/depression S2P20

## Cardiac surgery

functional status/cognitive impairment in elderly/young patients after cardio-pulmonary bypass, comparison S2P23

## Cardio-pulmonary bypass

functional status/cognitive impairment in elderly/young patients after cardiac surgery, comparison S2P23

## Cardiopulmonary resuscitation

determination of capability to take part in Do Not Resuscitate decisions, Pre Arrest Morbidity scores/Prognosis After Resuscitation scores, calculation for elderly inpatients S2P8

## Cardioversion

success/maintenance, atrial fibrillation in the elderly, clinical/echocardiogram assessment of suitability S2P3

### Carers

coping with dementia sufferers, strategies, relationship with depression 495

Parkinson's disease patients, comparison of family histories, inheritance factors, postal questionnaire S2P14 satisfaction with acute stroke management 519

#### Casemix

geriatric medicine, England/Wales, UK 1

Resource Utilization Groups, assessment of validity in geriatric medicine, England/Wales, UK 5

#### Caucasians

stroke presentation/treatment/outcome, comparison with Asians, UK S2P11

#### Cell death

apoptosis, Medical Research Council/Research into Ageing Workshop 169

## Central heating

effect on stroke prevention in winter S2P11

Cerebral perfusion

ambulatory 24-hour blood pressure changes, elderly hypertensives with amlodipine treatment S2P4

Chest infection

association with age/respiratory symptoms in older patients with urinary tract infection S2P18

nosocomial, teeth/mouth hygiene in the elderly S2P21

Chest radiograph
hospital admission in elderly patients, assessment, acute
severe asthma S2P13

Chronic airways obstruction

assessment of reversibility in elderly patients, slow vital capacity S2P12

relationship between immunoglobulin E/eosinophils/pulmonary function in older adults S2P14

Chronic obstructive pulmonary disease

exercise capacity/dyspnoea, improvements in elderly patients with inhaled anticholinergic drug, oxitropium bromide 278

Clerking pro forma

clinical assessment of stroke patients, improvement of recording, audit 43

Clinical course

relationship with nutritional status, acute admissions to

Clinical research

opinions/attitudes of elderly volunteers, survey S2P6

Co-amilofruse

orthostatic oedema in the elderly, use of diuretics S2P24

Coagulation factors

acute stroke/transient ischaemic attacks, hypercoagulability, comparison S2P15

Cobalamin deficiency

relationship with mental impairment in elderly people, review 536

**Cochrane Collaboration** 

health care of elderly people 265

Cognitive capacity

Timed Test of Money Counting, physical performance test, reliability/validity 257

Cognitive function

relationship with digit discrepancy/visuospatial neglect, stroke patients S2P9

relationship with Mini-Mental State Examination, normal elderly adults, componential study 440

Cognitive impairment

after cardio-pulmonary bypass, functional status in elderly/ young patients, comparison S2P23

association with diabetes, community-based study of elderly subjects, Melton Mowbray, UK 421

determination of capability to take part in Do Not Resuscitate decisions, Pre Arrest Morbidity scores/Prognosis After Resuscitation scores, calculation for elderly inpatients S2P8

in elderly patients, effectiveness of subcutaneous/intravenous fluids, comparison S2P5

predictors of hospital contact by very elderly people 382 relationship with cobalamin deficiency in elderly people,

role in osteoporotic syndrome, hip fracture 481

white matter low attenuation, relationship with brain CT scans/vascular risk factors, Memory Disorders Clinic

Cognitive performance

geriatric inpatients with dementia, effect of occupational therapy strategies 222

subclinical hypothyroidism, elderly community residents, PAQUID survey, South-West France 235

Cold stress

effects in circadian body temperatures of elderly/young patients, comparison 485

Colon

investigation by CT scans in elderly patients, replacement of barium enema S2P19

Compression stocking

comparison of two types, leg ulcer recurrence/acceptability, randomized trial 490

Conservative management

urinary incontinence, impact on attitudes/quality of life of older community-dwelling people 283

Creatinine

serum levels in older adults, relationship with health status/ medications, Established Populations for Epidemiologic Studies of the Elderly, USA 142

Crystalluria

calcium oxalate monohydrate, treatment with naftidrofuryl oxalate in elderly patients, France 464

CT scan

abdominal, unsupervised, assessment of outcome, lower gastrointestinal tract S2P24

brain, relationship with white matter low attenuation, cognitive impairment, Memory Disorders Clinic 411

brain infarct size/location, importance in predicting outcome after stroke 515

changing requirements in stroke S2P18

investigation of colon in elderly patients, replacement of barium enema S2P19

Cytochrome P450 enzymes

aryl hydrocarbon hydroxylase induction, drug metabolism/ageing, monocyte model S2P5

Cytokines

aggravation of malnutrition/hypercatabolism, severe pressure sores, elderly patients 37

Data editing

effect on 24-hour ambulatory blood pressure monitoring reference values, healthy elderly people 91

Day hospitals geriatric 89

Deaf-aid communicators

use in Salford hospital, survey, UK 160

Deep vein thrombosis

risk after stroke/fractured proximal femur S2P26

Delirium

prediction in elderly patients, model S2P16

Dementia

carers coping with sufferers, strategies, relationship with depression 495

cognitive impairment, white matter low attenuation, relationship with brain CT scans/vascular risk factors, Memory Disorders Clinic 411

diagnosis, use of Hachinski Ischaemic Score, variability in scoring 242

geriatric inpatients, cognitive performance, effect of occupational therapy 222

outcome measures for community services, London, UK

primitive reflexes, Canadian Study of Health and Aging 375

role in osteoporotic syndrome, hip fracture 481

urinary incontinence, effectiveness treatment of with low dose oxybutynin chloride S2P19 use of inhalers, ability, relationship with Mental Status Questionnaire score S2P13

vascular, Binswanger's disease, CT and MRI white matter periventricular changes, letter 454

Depression

carers, relationship with strategies of coping with dementia

effect of movement disorder clinic, Parkinson's disease S2P22

placebo-controlled antidepressants trial in physically ill elderly people, fluoxetine S2P16 role in cardiac cachexia in the elderly S2P20

**Detrusor** instability

efficacy of oxybutynin with bladder retraining, elderly ambulant patients, randomized controlled trial 287

Diabetes

association with cognitive impairment, community-based study of elderly subjects, Melton Mowbray, UK 421 duration, relationship with cardiac autonomic function/age S2P4

haemodynamic response to head-up tilt, blood pressure

prevalence, assessment of morbidity/physical disability/mental disability/vascular disease, institutionalized diabetics S2P25

Diagnosis

effect of written information on patient's knowledge S2P8

Diarrhoea

hospital-acquired, high risk in the elderly, epidemiology/ perceptions of nursing/medical staff S2P17

Digit discrepancy

relationship with visuospatial neglect/cognitive function, stroke patients S2P9

Digoxin

plus xamoterol, control of improvement of chronic atrial fibrillation, comparison with xamoterol 321 xamoterol, improvement of heart rate control/effort

tolerance, atrial fibrillation S2P18 Diogenes syndrome

clinical features/aetiology/management, review 451

Diseases

chronic, high prevalence, rural health screening of the elderly, The Gambia S2P9

role of free-radical processes in ageing/age-associated pathology, transition metals, Medical Research Council/ Research into Ageing Workshop 168

Diuretic therapy

orthostatic oedema in the elderly, use of co-amilofruse S2P24

DNA

gene mutations, contribution to ageing, molecular theories of ageing, Medical Research Council/Research into Ageing Workshop 168

Do Not Resuscitate decisions

determination of capability to take part, Pre Arrest Morbidity scores/Prognosis After Resuscitation scores, calculation for elderly inpatients S2P8

Dopa

responsiveness, Parkinson's disease patients, levodopa test, use in confirmation of diagnosis 210

Drug metabolism

ageing, monocyte model, identification of cytochrome P450 enzymes, aryl hydrocarbon hydroxylase induction S2P5

Dutch Association of Nursing Home Physicians euthanasia/assisted suicide, nursing homes, characteristics of patients, The Netherlands 429 Dysphagia

artificial feeding for elderly people after stroke, naso-gastric tube/percutaneous endoscopically placed gastroscopy 533 percutaneous gastronomy after stroke, mortality/functional outcome S2P10

rehabilitation after stroke, outcome for percutaneous gastrostomy 510

Dyspnoea

improvements in elderly patients with chronic obstructive pulmonary disease, inhaled anticholinergic drug, oxitropium bromide 278

Early Supported Discharge Scheme

elderly acute orthopaedic patients, resource implications for hospital/community services S2P6

hip fracture audit, one-year follow-up, Borders region, Scotland, UK S2P7

Eating disorders

role in cardiac cachexia in the elderly S2P20

Echocardiogram

assessment of suitability of cardioversion, atrial fibrillation in the elderly S2P3

Edinburgh

hip fracture audit, one-year follow-up, Scotland, UK S2P7

Elder abuse

involvement of geriatricians 177

Endentulousness

development of nosocomial chest infection in the elderly, teeth/mouth hygiene S2P21

**Endoscope diameter** 

effect of oxygen saturation, oesophagogastroduodenoscopy in elderly patients, oxygen saturation 254 effect on oxygen desaturation, gastroscopy in the elderly

S2P25 Endoscopy

oesophagogastroduodenoscopy in elderly patients, effect of endoscope diameter on oxygen saturation 254

England

casemix, Resource Utilization Groups, assessment of validity in geriatric medicine, UK 5

casemix/resource use, geriatric medicine, UK 1

compulsory removal of elderly people, National Assistance Act Section 47, assessment of mental disorder, Mental Health Act, UK, letter 543

National Assistance Act 1948 Section 47, compulsory removal of elderly people, implementation in 1988–1989, 1951 Amendment, survey, UK 180

**Eosinophils** 

relationship with immunoglobulin E/pulmonary function, asthma/chronic airways obstruction in older adults S2P14

Epidemiological research

reliability of revised Functional Autonomy Measurement System 402

Erythrocyte membrane fluidity

effect of ageing/aspirin treatment, stroke patients S2P25

Established Populations for Epidemiologic Studies of the Elderly

serum creatinine levels in older adults, relationship with health status/medications, USA 142

Etidronate

calcium, cyclical osteoporosis therapy, improvement in bone density, over-75-year-olds S2P8

Europe

teaching medical gerontology in Malta, letter 84

#### Euthanasia

assisted suicide, nursing homes, characteristics of patients, Dutch Association of Nursing Home Physicians, The Netherlands 429

## Evidence-based medicine

discussion 461

#### Exercise

aerobic, effect on baroreflex sensitivity in healthy elderly subjects S2P3

aerobic, effect on cardiac  $\beta$ -adrenergic response in healthy elderly subjects S2P4

#### Exercise capacity

improvements in elderly patients with chronic obstructive pulmonary disease, inhaled anticholinergic drug, oxitropium bromide 278

## Exercise programme

home, elderly people with poor mobility, randomized controlled trial 425

#### **Evelid** ptosis

pupil size, community survey, Manchester, UK 21

## Falls

involving elderly people, review of literature 346

## Fibrinolytic therapy

age-related use in acute myocardial infarction, Norway 198

#### Finland

Jyväskylä, physical activity levels, association with indicators of psychological well-being 292

#### Fluoxetine

placebo-controlled antidepressants trial in physically ill elderly people S2P16

#### Foo

position awareness, association with age/footwear, proprioception/stability 67

#### Footwear

association with foot position awareness, proprioception/stability 67

## Fractured proximal femur

risk of deep vein thrombosis S2P26

#### France

calcium oxalate monohydrate crystalluria in elderly patients, treatment with naftidrofuryl oxalate 464

Paris, returning home after acute hospitalization, predictive value of patients' characteristics and patients'/relatives' wishes 227

service, needs of dependent elderly people, development of indicators, application of epidemiological survey data 14 South-West, subclinical hypothyroidism, cognitive performance, elderly community residents, PAQUID survey 235

## Free-radical processes

role in ageing/age-associated pathology, transition metals, Medical Research Council/Research into Ageing Workshop 168

## Frusemide

orthostatic oedema in the elderly, use of diuretics S2P24

## Functional Autonomy Measurement System

revised, reliability for epidemiological research 402

## Gastrointestinal tract

lower, unsupervised abdominal  $\operatorname{CT}$  scans, assessment of outcome  $\operatorname{S2P24}$ 

upper, unsuspected haemorrhage, factor in mortality of elderly patients S2P23

## Gastroscopy

in the elderly, mechanism of oxygen desaturation, effect of endoscope diameter S2P25

#### Gene mutations

contribution to ageing, molecular theories of ageing, Medical Research Council/Research into Ageing Workshop 168

#### Genetics

ageing and longevity, Medical Research Council/Research into Ageing Workshop 167

#### Geriatric Depression Scale

patient profiles, use on geriatric wards, comparison with Philadelphia Geriatric Center Morale Scale/Southampton Self-esteem and Sources of Self-esteem Scale 416

#### Geriatric medicine

international survey of status S2P17

#### Geriatric unit

acute admissions, relationship between nutritional status/clinical course 131

#### Gerontology

medical, teaching in Europe, Malta, letter 84

#### Gloucester

Hospital-at-Home Scheme, early discharge/independence/ rehabilitation, comparison with conventional discharge, randomized controlled trial, UK 434

## Growth hormone deficiency

benefits of growth hormone replacement in the elderly with pituitary disease S2P9

#### Habitus

skeletal size/handgrip strength/cognitive impairment, role in osteoporotic syndrome, hip fracture 481

#### Hachinski Ischaemic Score

use in diagnosis of multi-infarct dementia, variability in scoring 242

#### Haematocrit

effect on blood pressure S2P3

## Haemoglobin concentration

effect on blood pressure S2P3

## Haemorrhage

upper gastrointestinal tract, unsuspected, factor in mortality of elderly patients S2P23

## Handgrip strength

role in osteoporotic syndrome, hip fracture 481

## Head-up tilt

haemodynamic response in elderly subjects with hypertension/diabetes, blood pressure control 315

## Health Interview Survey of Barcelona

health behaviours in elderly cohort, relationship to fiveyear mortality, Mediterranean 113

### Health management

effect on health of elderly people, Settsu City, Osaka, Japan 334

## Hearing impairment

predictive value for mortality, elderly community population, six-year follow-up study 30

#### Heart rate

control, atrial fibrillation, improvement, xamoterol/digoxin S2P18

variability, spectral analysis, evaluation of sympathetic function in elderly subjects, letter 366

## Hierarchical Assessment of Balance and Mobility

validity/reliability/responsiveness to change, comparison with other analytical tools 126

#### Hip

bone mineral density in older men and women, relationship with tooth loss 217

reduced bone mineral density in elderly patients with Parkinson's disease 326

Hip fracture

audit, one-year follow-up, Edinburgh/Borders region, Scotland, UK S2P7

early discharge, costs/effects in management, letter 367 geriatric, validity/reliability of Barthel ADL Index 393 prediction of rehabilitation 96

rehabilitation, importance of nutrition, letter 454

skeletal size/handgrip strength/cognitive impairment, role in osteoporotic syndrome 481

trends in over-65-year-olds, occurrence/outcomes, retrospective study S2P6

Hospital contact

by very elderly people with impaired cognitive function/ physical frailty, predictors 382

Hospital-at-Home Scheme

early discharge/independence/rehabilitation, comparison with conventional discharge, randomized controlled trial, Gloucester, UK 434

Hospitalization

effect on conventional/24-hour blood pressure, comparison of reproducibility 25

25-Hydroxyvitamin D

winter serum levels in elderly people, association with lifestyle factors 271

Hypercatabolism

aggravation by cytokines, severe pressure sores, elderly patients 37

Hypertension

haemodynamic response to head-up tilt, blood pressure control 315

Hyperthyroidism

previous, risk factor for osteoporosis in postmenopausal women S2P7

Hypopituitarism

difficult diagnosis in elderly people, letter 84

Hypothyroidism

subclinical, cognitive performance, elderly community residents, PAQUID survey, South-West France 235

Hypoxia

sustained isocapnic, ventilation response in over-80-yearolds S2P12

Illness severity

measurement in elderly medical patients, APACHE score/ semi-formalized subjective method/problem-list-based method, comparison S2P21

Immortality

cellular, in vitro, Medical Research Council/Research into Ageing Workshop 169

Immune system

role in ageing, perceived increase in susceptibility of older people to infection/cancer, Medical Research Council/ Research into Ageing Workshop 170

Immunization

tetanus, response by elderly people, comparison with younger subjects 99

Immunoglobulin E

relationship with eosinophils/pulmonary function, asthma/ chronic airways obstruction in older adults S2P14

Inclusion bodies

central role in neurodegenerative diseases, Alzheimer's disease/Parkinson's disease/motor neurone diseases, Medical Research Council/Research into Ageing Workshop 170

Inflammatory status

relationship with phagocyte oxidative metabolism, oxygen free radical production, function in elderly people 247 Inhalers

technique, elderly patients with reversible obstructive airways disease, metered-dose inhalers/large volume spacer devices, comparison 190

use by patients with dementia, ability, relationship with Mental Status Questionnaire score S2P13

Inheritance factors

development of Parkinson's disease, patients/carers, comparison of family histories, postal questionnaire S2P14

Ischaemic attacks

transient, coagulation factors/hypercoagulability, acute stroke, comparison S2P15

Ischaemic heart disease

plasminogen activator inhibitor-1, risk factor related to vitamin C status/infection S2P19

Isocapnic hypoxia

sustained, ventilation response in over-80-year-olds S2P12

Japan

Osaka, Settsu City, effect of health management on health of elderly people 334

Jyväskylä

physical activity levels, association with indicators of psychological well-being, 65-84-year-olds, Finland 292

Large volume spacer devices

inhaler technique, elderly patients with reversible obstructive airways disease, comparison with metered-dose inhalers 190

Leg extensor power

significance in mobility after proximal femoral fracture 308

Leg ulcer

healing by high compression bandaging, associated factors 407

recurrence, two types of compression stocking, acceptability, comparison, randomized controlled trial 490

Levodopa test

Parkinson's disease patients, prediction of dopa responsiveness, use in confirmation of diagnosis 210

Liverpool

performance of consultants, comparison with Birmingham, audit engine, UK  $\,\mathrm{S2P20}$ 

London

mental health/health status in elderly Bengalis/Somalis, UK 474

non-random comparisons of outcomes/quality of care, usefulness in purchasing hospital stroke services, UK 137 outcome measures for community services for dementia, UK 73

Malnutrition

aggravation by cytokines, severe pressure sores, elderly patients 37

protein-energy, prognostic value in geriatric patients 193

Malta

teaching medical gerontology, letter 84

Manchester

community survey of eyelid ptosis/pupil size, UK 21

Manual dexterity

Timed Test of Money Counting, physical performance test, reliability/validity 257

Mattress overlays

comparison, prevention of pressure sores in elderly patients 297, 543

## Mediterranean

health behaviours in elderly cohort, relationship to fiveyear mortality, Health Interview Survey of Barcelona 113

#### Melton Mowbray

diabetes, association with cognitive impairment, community-based study of elderly subjects, UK 421

#### Memory Disorders Clinic

white matter low attenuation, relationship with brain CT scans/vascular risk factors, cognitive impairment 411

#### Menopause

measurement of bone density, healthy premenopausal, perimenopausal and postmenopausal women, peripheral quantitative computed tomography 447

previous hyperthyroidism, risk factor for osteoporosis in postmenopausal women S2P7

## Mental disability

assessment of institutionalized diabetics, prevalence of diabetes S2P25

## Mental health

association with wish to die in elderly people, epidemiological survey, Australia 389

## in elderly Bengalis/Somalis, London, UK 474

National Assistance Act Section 47, compulsory removal of elderly people, assessment of mental disorder, England/Wales, UK, letter 543

## Mental impairment

relationship with cobalamin deficiency in elderly people, review 536

## Mental Status Questionnaire score

relationship with ability to use inhalers, patients with dementia S2P13

## Metered-dose inhalers

inhaler technique, elderly patients with reversible obstructive airways disease, comparison with large volume spacer devices 190

#### **Mini-Mental State Examination**

relationship with cognitive function, normal elderly adults, componential study 440

#### Mobility

after proximal femoral fracture, significance of leg extensor power/postural sway/fracture type/pre-injury age

Hierarchical Assessment of Balance and Mobility, validity/reliability/responsiveness to change, comparison with other analytical tools 126

home exercise programme for elderly people with poor mobility, randomized controlled trial 425

predictor of survival in 75-84-year-olds 468

#### Monocyte

identification of cytochrome P450 enzymes, aryl hydrocarbon hydroxylase induction, drug metabolism/ageing, model S2P5

## Moraxella catarrhalis

lower respiratory tract infection, serological diagnosis, Pprotein antibody levels in healthy elderly people S2P21

#### Mortality

five-year, relationship to health behaviours in elderly cohort, Health Interview Survey of Barcelona, Mediterranean 113

percutaneous gastrostomy after stroke, functional outcome S2P10

predictive value of hearing/vision impairment, elderly community population, six-year follow-up study 30 unsuspected upper gastrointestinal haemorrhage of elderly patients S2P23

## Mosgiel

control over future health in old age, relationship with health/health practices, New Zealand 204

## Motor coordination

upper extremity, healthy elderly people, comparison between sexes/sides 108

#### Motor function

effect of movement disorder clinic, Parkinson's disease

## Motor neurone diseases

central role of inclusion bodies, Medical Research Council/ Research into Ageing Workshop 170

## Mouth hygiene

development of nosocomial chest infection in the elderly, teeth S2P21

## Movement disorder clinic

effect on motor function/ADL/depression/quality of life, Parkinson's disease S2P22

#### Multi-infarct dementia

diagnosis, use of Hachinski Ischaemic Score, variability in scoring 242

#### Muscle strength

maximal dynamic, relationship with oestrogen replacement therapy, elderly women 329 predictor of survival in 75–84-year-olds 468

#### Muscle weakness

associated with unilateral stroke, effect on bone mass of affected side S2P7

## Myocardial infarction

acute, age-related use of fibrinolytic therapy, Norway 198 plasminogen activator inhibitor-1, risk factor related to vitamin C status/infection S2P19

## Naftidrofuryl oxalate

treatment of calcium oxalate monohydrate crystalluria in elderly patients, France 464

#### Naso-gastric tube

artificial feeding for elderly people after stroke 533

#### National Assistance Act 1948 Section 47

compulsory removal of elderly people, assessment of mental disorder, Mental Health Act, England/Wales, UK, letter 543

compulsory removal of elderly people, implementation in 1988–1989, 1951 Amendment, survey, England/Wales UK 180

## **Nebulizers**

home use by elderly people, prevalence/nature of difficulties, community survey 276

## Neck of femur

fracture, elderly patients, cost analysis, Aberdeen Royal Infirmary, UK 185

## Neurodegenerative diseases

Alzheimer's disease/Parkinson's disease/motor neurone diseases, central role of inclusion bodies, Medical Research Council/Research into Ageing Workshop 170

#### Neuroendocrine unit

pituitary tumours in the elderly, presentation/treatment/ outcome, radiotherapy/trans-sphenoidal surgery S2P17

#### New Zealand

Mosgiel, control over future health in old age, relationship with health/health practices 204

#### NHS

audit of nursing homes S2P26

#### Nocturia

diurnal variation in urine production, relationship with age

Norway

age-related use of fibrinolytic therapy in acute myocardial infarction 198

Nosocomial chest infection

teeth/mouth hygiene in the elderly S2P21

Nottingham

stroke patients, hospital/home-based rehabilitation after discharge from hospital, UK 49

Nursing homes

assessment of undiagnosed Parkinson's disease, use of screening/alerting questionnaire S2P22

euthanasia/assisted suicide, characteristics of patients, Dutch Association of Nursing Home Physicians, The Netherlands 429 NHS, audit S2P26

Nutrition

importance in rehabilitation after hip fracture, letter 454

**Nutritional** status

relationship with clinical course, acute admissions to geriatric unit 131

relationship with phagocyte oxidative metabolism, oxygen free radical production, function in elderly people 247

Occupational therapist

one year after stroke, Barthel ADL Index, comparison with scores of relatives 398

Occupational therapy

effectiveness of training/clinical experience, comparison

strategies, effect on cognitive performance, geriatric inpatients with dementia 222

Oedema

orthostatic, use of diuretics in the elderly, co-amilofruse

Oesophagogastroduodenoscopy

elderly patients, effect of endoscope diameter on oxygen saturation 254

Oestrogen replacement therapy

relationship with maximal dynamic muscle strength, elderly women 329

**OPCS** disability instrument

measurement of disability, acute stroke, comparison with Barthel Index 54

Orthopaedic patients

elderly acute, Early Supported Discharge Scheme, resource implications for hospital/community, services S2P6

Orthopaedic surgeons

collaboration with physicians, geriatric medicine, letter

Orthostatic oedema

use of diuretics in the elderly, co-amilofruse S2P24

Osaka

Settsu City, effect of health management on health of elderly people, Japan 334

Osteomalacia

high risk, elderly Asians, Britain 103

Osteoporosis

cyclical etidronate/calcium therapy, improvement in bone density, over-75-year-olds S2P8

Medical Research Council/Research into Ageing Workshop 170

previous hyperthyroidism, risk factor in postmenopausal women S2P7

type 1, postmenopausal, biochemical markers of nutrition/ bone mass, correlation with zinc 303

Osteoporotic syndrome

skeletal size/handgrip strength/cognitive impairment, role in hip fracture 481

Oxidative metabolism

phagocyte, oxygen free radical production, function in elderly people, relationship with nutritional status/inflammatory status 247

Oxitropium bromide

inhaled anticholinergic drug, exercise capacity/dyspnoea. improvements in elderly patients with chronic obstructive pulmonary disease 278

Oxybutynin

with bladder retraining, efficacy in elderly ambulant patients with detrusor instability, randomized controlled trial 287

Oxybutynin chloride

low dose treatment of urinary incontinence, dementia, effectiveness S2P19

Oxygen desaturation

gastroscopy in the elderly, effect of endoscope diameter

on swallowing, marker of aspiration in acute stroke 267

Oxygen free radical

production, phagocyte oxidative metabolism, function in elderly people, relationship with nutritional status/inflammatory status 247

Oxygen saturation

effect of endoscope diameter, oesophagogastroduodenoscopy in elderly patients 254

P-protein antibody

levels in healthy elderly people, serological diagnosis of Moraxella catarrhalis lower respiratory tract infection S2P21

PAQUID survey

subclinical hypothyroidism, cognitive performance, elderly community residents, South-West France 235

Parenteral fluids

effectiveness of subcutaneous/intravenous fluids in elderly patients with cognitive impairment, comparison S2P5

**Paris** 

returning home after acute hospitalization, predictive value of patients' characteristics and patients'/relatives' wishes, France 227

Parkinson's disease

assessment of undiagnosed, use of screening/alerting questionnaire in general practice/nursing homes S2P22 central role of inclusion bodies, Medical Research Council/ Research into Ageing Workshop 170

changes in lower urinary tract dysfunction, relationship

with age/disease 499

development, inheritance factors, patients/carers, comparison of family histories, postal questionnaire S2P14

effect on well-being/functioning, Short Form 36 (SF-36) Health Survey/Parkinson's Disease Questionnaire (PDQ-39), comparison of methods 505

levodopa test, prediction of dopa responsiveness, use in confirmation of diagnosis 210

movement disorder clinic, effect on motor function/ADL/ depression/quality of life S2P22

reduced bone mineral density of hip in elderly patients 326

Parkinson's Disease Questionnaire (PDQ-39)

Parkinson's disease, effect on well-being/functioning, Short Form 36 (SF-36) Health Survey Questionnaire, comparison of methods 505

Patient profiles

Geriatric Depression Scale/Philadelphia Geriatric Center Morale Scale/Southampton Self-esteem and Sources of Self-esteem Scale, use on geriatric wards, comparison 416

Percutaneous endoscopically placed gastrostomy artificial feeding for elderly people after stroke 533

Percutaneous gastrostomy

dysphagia after stroke, mortality/functional outcome S2P10 outcome in patients with dysphagia after stroke 510

Peripheral quantitative computed tomography measurement of bone density, healthy premenopausal, perimenopausal and postmenopausal women 447

Phagocyte

oxidative metabolism, oxygen free radical production, function in elderly people, relationship with nutritional status/inflammatory status 247

Philadelphia Geriatric Center Morale Scale

patient profiles, use on geriatric wards, comparison with Geriatric Depression Scale 416

Physical activity

association with indicators of psychological well-being, 65-84-year-olds, Jyväskylä, Finland 292

Physical health

association with wish to die in elderly people, epidemiological survey, Australia 389

Physical performance test

Timed Test of Money Counting, manual dexterity/cognitive capacity, reliability/validity 257

Pituitary disease

growth hormone deficiency in the elderly, benefits of growth hormone replacement S2P9

Pituitary tumours

presentation/treatment/outcome in the elderly, radiotherapy/trans-sphenoidal surgery, neuroendocrine unit S2P17

Plasma osmolality

age-associated changes in response to water load/sodium load 151

Plasminogen activator inhibitor-1

ischaemic heart disease risk factor related to vitamin C status/infection S2P19

Potassium

serum concentration after stroke, relationship with outcome S2P20

Potassium supplementation

long-term, effect on ambulatory blood pressure in elderly hypertensives S2P17

Pre Arrest Morbidity scores

calculation for elderly inpatients, determination of capability to take part in Do Not Resuscitate decisions S2P8

Pressure sores

prevention in elderly patients, comparison of seven mattress overlays 297, 543

prevention in elderly people, risk assessment/pressure relieving equipment/daily review/patient education S2P24 severe, cytokines, aggravation of malnutrition/hypercatabolism, elderly patients 37

Primitive reflexes

dementia, Canadian Study of Health and Aging 375

**Prognosis After Resuscitation scores** 

calculation for elderly inpatients, determination of capability to take part in Do Not Resuscitate decisions S2P8

Proprioception

ankle, threshold for detection of inversion/eversion in upright stance, association with age 58

foot position awareness, association with age/footwear 67

Prostatic hyperplasia

burden on elderly men, letter 259

Protein-energy malnutrition

prognostic value in geriatric patients 193

Proximal femoral fracture

mobility, significance of leg extensor power/postural sway/ fracture type/pre-injury age 308 prediction of rehabilitation 96

Psychological well-being

association with physical activity levels, 65-84-year-olds, Iyväskylä, Finland 292

Ptosis

eyelid, pupil size, community survey, Manchester, UK 21

**Pulmonary function** 

relationship with immunoglobulin E/eosinophils, asthma/ chronic airways obstruction in older adults S2P14

Pupil size

eyelid ptosis, community survey, Manchester, UK 21

**Ouality** of life

effect of movement disorder clinic, Parkinson's disease S2P22

urinary incontinence, impact of conservative management, older community-dwelling people 283

Radiograph

chest, hospital admission in elderly patients, acute severe asthma S2P13

Radiotherapy

pituitary tumours in the elderly, neuroendocrine unit S2P17

Rats

Wistar and Brown Norwegian, age, relationship with cutaneous aryl hydrocarbon hydroxylase activity 213

Readmissions

to department of geriatric medicine, effect of age/illness type/place of discharge/length of stay, comparison S2P25 to hospital, elderly patients 163

Red blood cell count

effect on blood pressure S2P3

Red blood cells

erythrocyte membrane fluidity, effect of ageing/aspirin treatment, stroke patients S2P25

Reference values

24-hour ambulatory blood pressure monitoring, healthy elderly people, effect of data editing 91

Rehabilitation

after hip fracture, importance of nutrition, letter 454 artificial feeding for elderly people after stroke, naso-gastric tube/percutaneous endoscopically placed gastroscopy 533 brain infarct size/location, importance in predicting outcome after stroke, measurement by CT scans 515

Early Supported Discharge Scheme, elderly acute orthopaedic patients, resource implications for hospital/commu-

nity services S2P6

Hospital-at-Home Scheme, early discharge/independence, comparison with conventional discharge, randomized controlled trial, Gloucester, UK 434

hospital/home-based, stroke patients, after discharge from hospital, Bradford/Nottingham, UK 49

impact of stroke unit on medical complications S2P10 multidisciplinary goal setting, anticipation of discharge

outcome for inpatients S2P22 outcome for percutaneous gastrostomy in patients with dysphagia after stroke 510

prediction after hip fracture 96

returning home after acute hospitalization, predictive value of patients'/relatives' wishes, Paris, France 227

stroke inpatients, determination of type/frequency/clinical predictors of complications S2P23

stroke units, service characteristics, randomized trials S2P11

## Resource Utilization Groups

assessment of validity in geriatric medicine, England/Wales, UK 5

#### Respiratory symptoms

association with age/chest infection in older patients with urinary tract infection S2P18 effect of age/smoking in older adults S2P13

#### Respiratory tract infection

lower, serological diagnosis of Moraxella catarrhalis, Pprotein antibody levels in healthy elderly people S2P21

#### Reversible obstructive airways disease

elderly patients, inhaler technique, metered-dose inhalers/ large volume spacer devices, comparison 190

#### Road accidents

involving elderly people, review of literature 346

#### Salford

hospital, use of deaf-aid communicators, survey, UK 160

Edinburgh/Borders region, hip fracture audit, one-year follow-up, UK S2P7

#### Senescence

cellular, in vitro, Medical Research Council/Research into Ageing Workshop 169

#### Senile breakdown syndrome

Diogenes syndrome, clinical features/aetiology/management, review 451

## Senile squalor syndrome

Diogenes syndrome, clinical features/aetiology/management, review 451

## Senior house officers

British Geriatrics Society training recommendations, audit standard, assessment of effectiveness S2P16

#### Serum

creatinine levels in older adults, relationship with health status/medications, Established Populations for Epidemiologic Studies of the Elderly, USA 142

## Services

characteristics of stroke units, randomized trials S2P11 community, outcome measures for dementia, London, UK 73

hospital, acute stroke, implementation of King's Fund Consensus recommendations, consultants' opinions, Stroke Association Survey, UK 525

hospital, stroke, non-random comparisons of outcomes/ quality of care, usefulness in purchasing, London, UK 137 hospital/community, Early Supported Discharge Scheme, elderly acute orthopaedic patients, resource implications S2P6

needs of dependent elderly people, development of indicators, application of epidemiological survey data, France 14

## Settsu City

effect of health management on health of elderly people, Osaka, Japan 334

## Short Form 36 (SF-36) Health Survey Questionnaire

Parkinson's disease, effect on well-being/functioning, Parkinson's Disease Questionnaire (PDQ-39), comparison of methods 505 suitability for use with older adults, self-completed/interview-administered instrument, comparison 120

#### Skeletal size

role in osteoporotic syndrome, hip fracture 481

#### Slow vital capacity

assessment of reversibility of chronic airways obstruction in elderly patients, bronchodilator response S2P12

#### Smoking

effect on respiratory symptoms in older adults S2P13

## Social breakdown syndrome

Diogenes syndrome, clinical features/aetiology/management, review 451

#### Sociodemographic factors

association with wish to die in elderly people, epidemiological survey, Australia 389

#### Sodium load

age-associated changes in thirst/arginine vasopressin/

#### Somalis

elderly, mental health/health status, London, UK 474

## Southampton Self-esteem and Sources of Self-esteem Scale

patient profiles, use on geriatric wards, comparison with Geriatric Depression Scale 416

#### Spin

bone mineral density in older men and women, relationship with tooth loss 217

#### Stability

foot position awareness, association with age/footwear 67

## Stroke

acute, coagulation factors/hypercoagulability, transient ischaemic attacks, comparison S2P15

acute, measurement of disability, comparison between Barthel Index/OPCS disability instrument 54

acute, oxygen desaturation on swallowing, marker of aspiration 267

assessment of aspiration, videofluoroscopy/water-swallowing test, comparison S2P12

assessment of prevalence, self-completed postal question-naire S2P10

Barthel ADL Index one year after, comparison between scores of relatives/occupational therapist 398 changing requirements of CT scans S2P18

dysphagia, mortality/functional outcome of percutaneous gastronomy S2P10

erythrocyte membrane fluidity, effect of ageing/aspirin treatment S2P25

geriatric, validity/reliability of Barthel ADL Index 393

hospital services, implementation of King's Fund Consensus recommendations, consultants' opinions, Stroke Association Survey, UK 525

hospital/home-based rehabilitation after discharge from hospital, Bradford/Nottingham, UK 49

improvement of recording clinical assessment of patients, clerking pro forma, audit 43

non-random comparisons of outcomes/quality of care, usefulness in purchasing hospital services, London, UK 137 patients, relationship between visuospatial neglect/digit discrepancy/cognitive function S2P9

presentation/treatment/outcome in Asians/Caucasians, comparison, UK S2P11

prevention in winter, effect of central heating/remaining indoors S2P11

rehabilitation, artificial feeding for elderly people, nasogastric tube/percutaneous endoscopically placed gastrostomy 533 rehabilitation, brain infarct size/location, importance in predicting outcome, measurement by CT scans 515

rehabilitation, determination of type/frequency/clinical predictors of complications, inpatients S2P23 rehabilitation, impact of stroke unit on medical complica-

tions S2P10

rehabilitation, outcome for percutaneous gastronomy in patients with dysphagia 510

risk of deep vein thrombosis S2P26

serum potassium concentration, relationship with outcome S2P20

service characteristics, randomized trials S2P11

services, satisfaction of carers/patients 519

trends in over-65-year-olds, occurrence/outcomes, retrospective study S2P6

unilateral, associated with muscle weakness, effect on bone mass of affected side S2P7

## Stroke Association Survey

hospital stroke services, implementation of King's Fund Consensus recommendations, consultants' opinions, UK 525

#### Suicide

assisted/euthanasia, nursing homes, characteristics of patients, Dutch Association of Nursing Home Physicians, The Netherlands 429

## Swallowing

oxygen desaturation, marker of aspiration in acute stroke 267

#### Sympathetic function

evaluation in elderly subjects, spectral analysis of heart rate variability, letter 366

#### Systolic murmur

basal, high prevalence of significant aortic stenosis in elderly patients S2P14

#### Teeth

development of nosocomial chest infection in the elderly, mouth hygiene S2P21

#### Tetanus

immunity in elderly people, prediction of immune status, response to immunization, comparison with younger subjects 99

#### The Gambia

rural health screening of the elderly, high prevalence of chronic diseases S2P9

## The Netherlands

euthanasia/assisted suicide, nursing homes, characteristics of patients, Dutch Association of Nursing Home Physicians 429

## Thirst

age-associated changes in response to water load/sodium load 151

## Thrombosis

leg vein, risk after stroke/fractured proximal femur S2P26

## Thyroid-stimulating hormone

subclinical hypothyroidism, cognitive performance, elderly community residents, PAQUID survey, South-West France 235

## **Timed Test of Money Counting**

physical performance test for manual dexterity/cognitive capacity, reliability/validity 257

## Tooth loss

older men and women, relationship with bone mineral density at hip/spine 217

#### Trabecular bone mass

measurement in healthy premenopausal, perimenopausal

and postmenopausal women, peripheral quantitative

## Trans-sphenoidal surgery

pituitary tumours in the elderly, neuroendocrine unit S2P17

#### Transition metals

role of free-radical processes in ageing/age-associated pathology, Medical Research Council/Research into Ageing Workshop 168

#### Trimethoprim

treatment of uncomplicated urinary tract infection in the elderly, single-dose therapy/three-day course, comparison S2P15

#### Tumours

pituitary, presentation/treatment/outcome in the elderly, radiotherapy/trans-sphenoidal .surgery, neuroendocrine unit \$2P17

#### HK

Aberdeen Royal Infirmary, cost analysis of fracture of neck of femur, elderly patients 185

Bradford/Nottingham, stroke patients, hospital/homebased rehabilitation after discharge from hospital 49

England/Wales, casemix/resource use, geriatric medicine 1 England/Wales, casemix/Resource Utilization Groups, assessment of validity in geriatric medicine 5

England/Wales, compulsory removal of elderly people, National Assistance Act Section 47, assessment of mental disorder, Mental Health Act, letter 543

England/Wales, National Assistance Act 1948 Section 47, compulsory removal of elderly people, implementation in 1988–1989, 1951 Amendment, survey 180

Gloucester, Hospital-at-Home Scheme, early discharge/independence/rehabilitation, comparison with conventional discharge, randomized controlled trial 434

hospital stroke services, implementation of King's Fund Consensus recommendations, consultants' opinions, Stroke Association Survey 525

Liverpool/Birmingham, performance of consultants, comparison, audit engine S2P20

London, mental health/health status in elderly Bengalis/ Somalis 474

London, non-random comparisons of outcomes/quality of care, usefulness in purchasing hospital stroke services 137 London, outcome measures for community services for dementia 73

Manchester, community survey of eyelid ptosis/pupil size 21

Melton Mowbray, association with cognitive impairment, community-based study of elderly subjects 421

Salford hospital, use of deaf-aid communicators, survey 160 Scotland, Edinburgh/Borders region, hip fracture audit, one-vear follow-up S2P7

stroke presentation/treatment/outcome in Asians/Caucasians, comparison S2P11

## Upper extremity

motor coordination in healthy elderly people, comparison between sexes/sides 108

## Upper gastrointestinal haemorrhage

unsuspected, factor in mortality of elderly patients S2P23

## Urinary incontinence

impact of conservative management on attitudes/quality of life of older community-dwelling people 283

low dose oxybutynin chloride treatment, effectiveness, dementia S2P19

Urinary stone

calcium oxalate monohydrate crystalluria in elderly patients, treatment with naftidrofuryl oxalate, France 464

Urinary tract dysfunction

changes in Parkinson's disease, relationship with age/disease 499

Urinary tract infection

association between age/respiratory symptoms/chest infection in older patients S2P18

management in elderly people, direct microscopic examination of urine/assays using dipstick method 341 uncomplicated, trimethoprim treatment in the elderly, single-dose therapy/three-day course, comparison S2P15

Urine

production, diurnal variation, relationship with age, nocturia S2P5

USA

serum creatinine levels in older adults, relationship with health status/medications, Established Populations for Epidemiologic Studies of the Elderly 142

Vascular dementia

Binswanger's disease, CT and MRI white matter periventricular changes, letter 454

Vascular disease

assessment of institutionalized diabetics, prevalence of diabetes S2P25

Vascular risk factors

relationship with white matter low attenuation, cognitive impairment, Memory Disorders Clinic 411

Ventilation

response to sustained isocapnic hypoxia in over-80-year-olds S2P12

Videofluoroscopy

assessment of aspiration in stroke, water-swallowing test, comparison S2P12

Vision impairment

predictive value for mortality, elderly community population, six-year follow-up study 30

Visuospatial neglect

relationship with digit discrepancy/cognitive function, stroke patients S2P9

Vital capacity

slow, assessment of reversibility of chronic airways obstruction in elderly patients, bronchodilator response S2P12

Vitamin C status

related to ischaemic heart attack risk factor, plasminogen activator inhibitor-1 S2P19

Vitamin D

high risk of deficiency, elderly Asians, Britain 103 winter levels in elderly people, association with life-style factors 271

Volunteers

elderly, opinions/attitudes to clinical research, survey S2P6

#### Wales

casemix, Resource Utilization Groups, assessment of validity in geriatric medicine, UK 5

casemix/resource use, geriatric medicine, UK 1

compulsory removal of elderly people, National Assistance Act Section 47, assessment of mental disorder, Mental Health Act, UK, letter 543

National Assistance Act 1948 Section 47, compulsory removal of elderly people, implementation in 1988–1989, 1951 Amendment, survey, UK 180

#### Water load

age-associated changes in thirst/arginine vasopressin/plasma osmolality 151

Water-swallowing test

assessment of aspiration in stroke, videofluoroscopy, comparison S2P12

Well-being

Geriatric Depression Scale/Philadelphia Geriatric Center Morale Scale/Southampton Self-esteem and Sources of Self-esteem Scale, use on geriatric wards, patient profiles, comparison 416

Parkinson's disease, Short Form 36 (SF-36) Health Survey/Parkinson's Disease Questionnaire (PDQ-39), comparison of methods 505

White matter low attenuation

relationship with brain CT scans/vascular risk factors, cognitive impairment, Memory Disorders Clinic 411

White matter periventricular changes

CT and MRI, Binswanger's disease, letter 454

#### Winter

stroke prevention, effect of central heating/remaining indoors S2P11

Vitamin D levels in elderly people, association with lifestyle factors 271

## Wish to die

in elderly people, association with physical health/mental health/sociodemographic factors, epidemiological survey, Australia 389

#### Xamoterol

digoxin, improvement of heart rate control/effort tolerance, atrial fibrillation S2P18

improvement of control of chronic atrial fibrillation, comparison with xamoterol plus digoxin 321

## Yoga

effect on baroreflex sensitivity in healthy elderly subjects S2P3

effect on cardiac  $\beta$ -adrenergic response in healthy elderly subjects S2P4

## Zinc

correlation with biochemical markers of nutrition/bone mass, postmenopausal type 1 osteoporosis 303

